



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/497,590	06/06/2000	Gary Karlin Michelson	101-0044-03000	7688
22882	7590	12/01/2005		
MARTIN & FERRARO, LLP 1557 LAKE O'PINES STREET, NE HARTVILLE, OH 44632			EXAMINER BROWN, MICHAEL A	
			ART UNIT 3764	PAPER NUMBER

DATE MAILED: 12/01/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/497,590

Applicant(s)

MICHELSON, GARY KARLIN

Examiner

Michael Brown

Art Unit

3764

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 105-194 is/are pending in the application.
- 4a) Of the above claim(s) 105-148 and 188-194 is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 149-168 and 170-187 is/are rejected.
- 7) ☒ Claim(s) 169 is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. ____. |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

DETAILED ACTION

Election/Restrictions

Applicant's election with traverse of Group II in the reply filed on August 24, 2005 is acknowledged. The traversal is on the ground(s) that claim 149 is a generic claim that belongs to both species. This is not found persuasive because claim 149 is not generic and it belong to Group I. In other words the passage could have a width that is greater than its height but that doesn't necessary mean that the passage is non-circular

The requirement is still deemed proper and is therefore made FINAL.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 149-165, 167-168, 170-171, 173-180, 182-183 and 185-186 rejected under 35 U.S.C. 103(a) as being unpatentable over Brantigan in view of Ma.

Brantigan discloses in figures 1-11 an apparatus for use in human spinal surgery comprising a guard member 22, extension portions (the portions of 22 that extends outward near 23 but don't including 23), the extension have the same height (fig. 4), penetrating means 23, (that are teeth or prongs), a spinal implant 11, fusion promoting material (col. 1, lines 62-69 col. 2, lines 1-54), the penetrating means has a tapered end (fig. 4) the guard is a hollow sleeve (fig. 4), the distal end of the guard is contoured (fig.

4), the proximal end of the guard has an increased diameter (at the larger portions of 22 adjacent to 23), a bone removal device 21, the spinal implant is part bone and bone graft (col. 1 lines 62-69 – col. 2, lines 1-54), an implant driver 24 and the drill 21 has flutes (that allow for the removal of bone). However, Brantigan doesn't disclose the passage of the guide being a non-circular cross-section. Ma teaches in figure 17 a guide 44a having a passage (the inside of 44a) that is non-circular. It would have been obvious to one having ordinary skill in the art at the time that the invention was made that the passage of the guide disclosed by Brantigan could be fabricated with a non-circular cross-section as taught by Ma in order to be able to insert a non-circular or circular cutting tool into the guide. The guide could be also be used to insert a non-circular implant through the guide.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 166, 172, 181, 184 and 187 are rejected under 35 U.S.C. 103(a) as being unpatentable over the references as applied to claims above, and further in view of Stednitz.

Stednitz teaches using a tap (tap threads) to form a threaded hole. It would have been obvious to one having ordinary skill in the art at the time that the invention was made that the tap as taught by Stednitz could be used to form a threaded hole in the

vertebrae. It is a design choice to make the guard of a rectangular cross-section as taught by Ma. The end of the device away from 22 on the end opposite 23 is being interpreted as a cap. It is old and well known to use a press into compression a substance into a container (a spinal implant). It is a matter of duplication to have a second distractor.

Allowable Subject Matter

Claim 169 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael Brown whose telephone number is 571-272-4972. The examiner can normally be reached on 5:30 am-4:00 pm Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gergory Huson can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 3764

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

M. Brown
November 28, 2005

A handwritten signature in black ink, appearing to read "Michael A. Brown", with a long horizontal flourish extending to the right.

MICHAEL A. BROWN
PRIMARY EXAMINER